

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

PIOVESANA, Paolo Corso del Popolo, 70 I-30172 Venezia Mestre ITALIE

10/531909 PCT Rec'd PET/PT0 19 APR 2005

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing

(day/month/year)

06.12.2004

Applicant's or agent's file reference

701.208

IMPORTANT NOTIFICATION

International application No. PCT/EP 03/12339

International filing date (day/month/year)

Priority date (day/month/year)

05.11.2003

08.11.2002

Applicant

ATENA S.R.L.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding-whether, in that State, the claimed-inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:



European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016 **Authorized Officer**

Ter Haar, H

Tel. +31 70 340-3817





INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 701,208			FOR FURTHER	ACTION		on of Transmittal of International camination Report (Form PCT/IPEA/416)		
International application No. PCT/EP 03/12339			International filing dat 05.11.2003	e (day/mont		Priority date (day/month/year) 08.11.2002		
1	ational Pa 39/12	tent Classification (IPC) or	both national classification	n and IPC				
Applic ATE	ant NA S.R.	L.						
1.	This inte Authority	rnational preliminary ex and is transmitted to the	amination report has be ne applicant according t	een prepar o Article 30	ed by this Inte 6.	rnational Preliminary Examining		
2.	This REPORT consists of a total of 5 sheets, including this cover sheet.							
	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).							
	These annexes consist of a total of 3 sheets.							
3.	This repo	ort contains indications	relating to the following	items:				
	. ×	Basis of the opinion	· ·					
	. –	Priority						
		•	f opinion with regard to	novelty in	ventive sten a	nd industrial applicability		
_		Lack of unity of inver	•	novolty, in	vomite stop a	na madothar applicability		
	v 🗵	Reasoned statement			to novelty, in	ventive step or industrial applicability;		
•	VI 🗆	Certain documents c	ted					
1	VII 🗆	Certain defects in the	international applicatio	n				
`	VIII 🗆	Certain observations	on the international app	olication				
Date of	Date of submission of the demand				completion of thi	s report		
27.05.2004				06.12.2	06.12.2004			
Name and mailing address of the international					ed Officer			
preliminary examining authority: European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl				Demee	ster, J	Current Distriction of Parameters - England of Paramet		
Fax: +31 70 340 - 3016					ne No. +31 70 3	40-1052 The state of the state		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP 03/12339

i.	Basi	s of	the	re	port
----	------	------	-----	----	------

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	De	Description, Pages						
	2, 3	3	as originally filed					
	1, 1	la	received on 13.09.2004 with letter of 01.09.2004					
	01-	San a Manada ana						
		ims, Numbers						
	2, 3	3	as originally filed					
	1		received on 13.09.2004 with letter of 01.09.2004					
	Dra	wings, Sheets						
	1/2-	2/2	as originally filed					
2.	Wit lan	With regard to the language, all the elements marked above were available or furnished to this Authority in the anguage in which the international application was filed, unless otherwise indicated under this item.						
	The	ese elements were av	ailable or furnished to this Authority in the following language: , which is:					
		the language of a tra	anslation furnished for the purposes of the international search (under Rule 23.1(b)).					
		the language of publ	lication of the international application (under Rule 48.3(b)).					
		the language of a tra Rule 55.2 and/or 55.	anslation furnished for the purposes of international preliminary examination (under 3).					
3.	Witl inte	n regard to any nucle rnational preliminary	eotide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:					
		contained in the inte	rnational application in written form.					
		filed together with the	e international application in computer readable form.					
		furnished subsequently to this Authority in written form.						
		furnished subsequently to this Authority in computer readable form.						
		The statement that the international a	he subsequently furnished written sequence listing does not go beyond the disclosure pplication as filed has been furnished.					
	□·	The statement that the listing has been furnitude.	he information-recorded in computer readable form is identical to the written sequence ished.					
4.	The	amendments have re	esulted in the cancellation of:					
		the description,	pages:					
		the claims,	Nos.:					
		the drawings,	sheets:					

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP 03/12339

5. This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-3

No: Claims

Inventive step (IS) Yes: Claims 1-3

No: Claims

Industrial applicability (IA) Yes: Claims 1-3

No: Claims

2. Citations and explanations

see separate sheet

EXAMINATION REPORT - SEPARATE SHEET

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following document/s/: 1.

D1: US-A-3 093 221 (PURDY BURL O) 11 June 1963 (1963-06-11)

D3: US-A-4 648 230 (MIEYAL DAVID F ET AL) 10 March 1987 (1987-03-10)

- 2.1. Document **D1**, which is considered to represent the most relevant state of the art, discloses (cf. fig. 4) an inverted T-beam with an appendix (25) from which the subject-matter of claim 1 differs, because:
 - A. the second free part (30) of the appendix (25) of D1 does not comprise a "cutout-tooth" as defined in lines 7-9 of claim 1. The second free part (30) of the appendix (25) of D1 comprises only a bend (33).
 - B. the appendix (25) of D1 has an inner portion (cf. fig. 4, broadest part of appendix 25) and an outer portion (cf. fig. 4, smallest part of appendix 25). However, said inner portion of D1 does not have an edge which is suitable for the retention of the outer portion of the appendix in the aperture (35, 36) of another beam.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

2.2. The problem to be solved by the present invention may be regarded as providing a connection which is more reliable and easier to unlock:

> The "cutout-tooth" of present claim 1 provides clearly a better locking of the appendix in an aperture than the bend (33) of the appendix (25) of D1.

Moreover, the free end (32) of the outer portion of the appendix (25) of D1 has a limited length and is oriented to the inner portion (26) of the appendix. Due to the "cutout tooth", the appendix of the application (cf. application, fig. 4) can have a long free end at the outer portion (14) of the appendix (10), said free end being oriented away from the inner portion (12) of the appendix (10). This results into to a lever, which is easy to handle in order to unlock the appendix (10).

The skilled man would not consider replacing the bend (33) of the appendix (25) of D1 by a "cutout-tooth" for the following reasons:

- a "cutout-tooth" is a more complex solution than a bend,
- the "cutout-tooth" has specific advantages in combination with the appendix (cf. "lever-effect" described above) and is thus a special selection out of several possibilities,

INTERNATIONAL PRELIMINARY EXAMINATION REPORT - SEPARATE SHEET

International application No. PCT/EP 03/12339

- none of the cited documents hints to an appendix with a V-shape wherein the outer portion of the appendix comprises such a "cutout-tooth".

Remark: D3 (fig. 1), discloses an appendix (22) with a "cutout-tooth" (44). However, this "cutout tooth" (44) is not installed on the outer portion of a V-shaped appendix and thus does not result in the same lever-effect (cf. above) as the appendix of present claim 1.

Therefore, the solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT).

2.3. Claims 2 and 3 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

(J. Demeester)

IMPROVED COUPLING ELEMENT FOR INVERTED T BEAMS

5

10

15

20

The present invention relates to an improved coupling element for inverted T beams.

Structural elements for false ceilings are known consisting of beams of inverted T cross-section provided at their ends with hooks, which are either formed directly on the central web of the T beam or are in the form of inserts which are constructed separately and applied to each beam section during its construction.

Said beams are also provided in their web with cut-outs in which to engage the coupling element of a beam perpendicular to it, to form a lattice structure which is generally suspended from the ceiling, usually by steel cables or tie bars, to functionally support with its horizontal flanges those panels and staves or the like necessary to form the false ceiling.

A known type of beam comprises an element which is subjected to pressing to form an elastic strip in which, by cutting and plastic deformation, at least one tooth is defined having its abutment surface facing the beam, to form an insertion connection with the cut-out provided in the web of the beam.

A drawback of this coupling element is a certain laboriousness both in constructing the strip and in disengaging the strip from the cut-out in which it is engaged.

US-A-3093221 discloses a coupling element for the end of an inverted T-beam which comprises two portions of different height, the outer portion having a lesser height and being V-shaped.

An object of the invention is to provide an improved coupling element
which enables the appendix to be easily and quickly engaged with and disengaged from the cut-out.

This and further objects which will be apparent from the ensuing description are attained according to the invention by an improved coupling element for inverted T beams as claimed in claim 1.

CLAIMS

1. An inverted T-beam comprising:

5

10

15

- at at least one of its ends an appendix (2) formed from two portions (8, 10) of different height, a first inner portion (8) extending into a second outer portion (10), said outer portion (10) having the lesser height and being bent to a V-shape comprising two parts (12, 14) forming the two legs of said V-shape, a first part (12) being coplanar with the first portion (8) and the second free part (14) comprising a tooth (16), which is obtained by cutting out and plastically deforming a part of the second part (14), the free end of the tooth (16) substantially facing the end of the first portion (8), and
- in its central web (4) at least one aperture (18) having a height substantially corresponding to the height of said outer portion (10) of the appendix (2) such that said aperture (18) is suitable for the insertion and for the stable retention of the outer portion (10) of the appendix (2) of another inverted T-beam having an identical appendix (2) by the tooth (16) and the edge of the inner portion (8) of said other inverted T-beam.